

Appln No. 10/049,223

Amdt date July 21, 2003

Reply to Office action of March 20, 2003

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A system to be fitted into a vehicle door comprising:

- a window lifter (for lifting and lowering a window pane of ~~the~~ said vehicle door including a drive unit,) a transfer mechanism [for transferring drive force from the drive unit to the window pane,] and a guide rail of the transfer mechanism along which a follower of the window pane is guided, and
- a closing mechanism (for closing and opening the vehicle door,

wherein the window lifter and the closing mechanism are configured (for fixing on a supporting plate of the vehicle door,

~~and~~ wherein at least one supporting part of the closing mechanism is (moulded on) the guide rail, the guide rail consisting at least in part of plastics, and

wherein the guide rail of the window lifter is formed for
displaceable [bearing) on the supporting plate.

2. (Previously amended) The system according to claim 1 wherein at least one supporting structural part of the window lifter serves at the same time to hold a functional element of the closing mechanism.

3. (Currently amended) The system according to any of claims 1 or 2 wherein at least a part of the closing mechanism forms a

Appln No. 10/049,223

Amdt date July 21, 2003

Reply to Office action of March 20, 2003

prefabricated structural unit with the drive unit of the window lifter.

4. (Previously amended) The system according to claim 3 wherein a base plate for holding the drive unit forms a prefabricated structural unit with the guide rail.

5. (Previously amended) The system according to claim 4 wherein the base plate is moulded in one piece on the guide rail.

6. (Currently amended) The system according to claim 1 wherein a part of the closing mechanism which forms a structural unit with a structural group of the window lifter comprises at least one of the group of structural elements consisting of:

a socket for a door lock,

{a} the door lock,

a socket for a door outside handle,

{a} the door outside handle,

a socket for a door inside handle, and

{a} the door inside handle.

7. (Previously amended) The system according to claim 6 wherein the part of the closing mechanism is the socket for the door lock and wherein the socket for the door lock forms a prefabricated structural unit with a base plate for the drive unit.

Appln No. 10/049,223

Amdt date July 21, 2003

Reply to Office action of March 20, 2003

8. (Previously amended) The system according to claim 3, further comprising a socket for a door outside handle, the socket forming a prefabricated structural unit with the guide rail, wherein the window lifter is an outer window lifter.

9. (Previously amended) The system according to claim 3 further comprising a socket for a door inside handle, the socket forming a prefabricated structural unit with the guide rail wherein the window lifter is an inner window lifter.

10. (Previously amended) The system according to claim 3 wherein the window lifter is formed as a double-strand cable window lifter having two guide rails running side by side and wherein a socket for a door lock and a socket for a door outside handle form a prefabricated structural unit with the guide rail of the window lifter on a B-pillar side.

11. (Previously amended) The system according to claim 3 wherein a socket for a door lock is connected to a socket for a door outside handle and the socket for the door outside handle is connected additionally to the guide rail.

12. (Previously amended) The system according to claim 3 wherein a door lock and a door outside handle holder are fixed on the guide rail through a common support.

13. (Currently amended) The system according to claim 2 [5], wherein at least a part of the closing mechanism forms a

Appln No. 10/049,223

Amdt date July 21, 2003

Reply to Office action of March 20, 2003

prefabricated structural unit with the drive unit of the window lifter,

wherein a base plate for holding the drive unit forms a prefabricated structural unit with the guide rail,

wherein the base plate is moulded in one piece on the guide rail, and

wherein the functional element of the closing mechanism is prefitted on an associated holding element.

*CJ
WNT*
14. (Canceled)

15. (Previously amended) The system according to claim 3 wherein the guide rail is displaceable on the supporting plate along a longitudinal direction of the vehicle.

16. (Currently amended) The system according to claim 1 wherein the supporting plate of the vehicle door is formed as one of a door inside panel and a large surface support plate for a door module which is fitted onto a corresponding cut-out section in ~~at~~ the door inside panel.

17. (Previously amended) The system according to claim 1 wherein the supporting plate defines a recess for assembly of the closing mechanism.